

## Velocity Series 2.0 Multi-Purpose Ladder

---



[Representative image of product]

### Product Description

When you have projects to do, you need a ladder that can do it all. The Little Giant® Velocity™ Series 2.0 is the perfect ladder to complete those tasks. From framing a house, to hanging drywall, the Velocity will help you finish your to-do list. The Velocity is a lightweight, multi-position ladder with added features to make set up and take down simple. To adjust the height of the ladder, simply push in the Rock Lock™ adjusters and move the inner section to the height you need. When you need to move the ladder from place to place, tip the ladder on its wheels and roll it with the Tip & Glide™ wheels. The Velocity is the ladder that helps you complete your tasks easily. Set up the ladder in different configurations that suit the project at hand, like A-frame, extension, staircase, 90-degree or trestle-and-plank\* scaffolding. It's fast and easy. Fitted with wider legs, the Velocity Series 2.0 meets or exceeds all US/International standards, the Velocity is rated to hold 150kg, in all configurations; and in A-frame.

### Features

- New Series 2.0 design with aerospace grade aluminium construction and flared legs for unmatched stability
- Redesigned Double-Lock Hinge
- Spring assisted Rapid-Locks® for easy adjustment
- 24 ladders in one
- Tip & Glide™ wheels for easy transport
- Compatible with Tetra Ladder Systems

### Specifications

- Brand: Little Giant Ladder Systems
- Warranty: Lifetime
- Max Load: 150kg
- Standard: EN131-4:2020
- Material: Aluminium
- Commodity Code: 7616.99.5190
- Country of Origin: CN
- Recommended Usage: Intensive

### Common Dimensions

- Rung Depth: 25mm
- Distance Between Rungs: 297mm

### Availability & Delivery

Stock item. Delivery next day.

(See exceptions, if applicable, overleaf)

## Velocity Series 2.0 Multi-Purpose Ladder

### Product Dimensions

SKU	Rungs /Sections	Last Climbing Height	Approx. Working Height <sup>1</sup> (mm)	Extended Length (mm)	Closed Length (mm)	Storage Width (mm)	Storage Depth (mm)	Nett Weight (kg)
1304-013	3 x 4	2360	3960	2110–3330	1090	580	200	12.3
1304-014	4 x 4	3530	5130	2720–4550	1400	610	220	14.7
1304-015	5 x 4	4720	6320	3330–5770	1689	685	220	18.6
1304-016	6 x 4	5890	7490	3940–6990	1990	780	220	23.5

SKU	Max Step Height (mm)	Approx. Working Height <sup>1</sup> (mm)	Open Step Depth (mm)	Open Step Height (mm)
1304-013	890	2490	830–1200	1070–1680
1304-014	1470	3070	1030–1580	1370–2290
1304-015	2030	3630	1210–1940	1680–2900
1304-016	2620	4220	1400–2310	1980–3510

<sup>1</sup> Working height is calculated as 1,600mm plus platform height or last climbing tread, whichever is appropriate. Ladders set at an angle of 75° degrees.

### Shipping Dimensions

SKU	Barcode	Shipping Length (mm)	Shipping Width (mm)	Shipping Depth (mm)	Shipping Volume (m <sup>3</sup> )	Gross Weight (kg)
1304-013	5060798010167	1130	620	220	0.154	13.8
1304-014	5060798010174	1422	635	220	0.199	15.6
1304-015	5060798010181	1727	710	220	0.27	19.3
1304-016	5060798010198	2032	787	220	0.352	24.5

**Packaging Material:** Cardboard Carton